



CANADA



ON THE JOB

SINCE 1865™



Table of Contents

DAP® Paint Projects	3-7
Interior/Exterior Sealants	3
Accessories	7
DAP® Kitchen & Bath	8-10
Kitchen/Bath Sealants	8
Kitchen/Bath Silicones	9
Specialty Projects	11-18
Specialty Sealants	11
Specialty Sealants Fire System Sealants	15
Specialty Advanced Sealants & Silicones	16
Window, Door & Siding	19-22
Window/Door Advanced Sealants & Silicones	19
Repair	23-34
Spackling Compounds	23
Joint Compounds	27
Plaster & Stuccos	28
Wood Repair Products	30
Glazing Compounds	32
Concrete & Masonry Products	33
Textured Repair	36
Wall & Ceiling Spray Textures	36
Construction Adhesive	37-39
Construction & Remodelling	37
Insulating Foam Sealant	40-50
Straw Foams	40
Gun Foams	44
2 Component Kits	46
Accessories	47



DAP® ALEX PLUS® All Purpose Acrylic Latex Caulk Plus Silicone

Excellent quality, all purpose acrylic latex caulk for sealing a wide variety of interior and exterior surfaces. It contains silicone additives for greater flexibility and adhesion and shrinks less for a durable, 100% waterproof seal. Paintable in just 30 minutes and won't shine through or discolour paint for better paint finish results. Easy to apply and tool, low odour and cleans up with water. Cured caulk is mould and mildew resistant. Interior/exterior use. 40 Year. Exceeds ASTM C834.



Material Code	Size	Colour	Case Weight (lb)	Case Weight (kg)	Case Pack	Case Dimensions (LxWxH)	Cases Per Pallet
7079874852	162 ML	WHITE	9.69	4.40	15	20 cm x 19 cm x 25 cm	120
7079874250	300 ML	WHITE	14.5	6.58	12	20 cm x 15 cm x 30 cm	108
7079874270	300 ML	WHITE	36.25	16.44	30	30 cm x 25 cm x 30 cm	48
7079874252	300 ML	TRANSLUCENT	9.76	4.43	12	20 cm x 15 cm x 30 cm	108

DAP® ALEX PLUS® All Purpose Acrylic Latex Caulk Plus Silicone Contractor Pack

Buy by the case and save! Designed for purchase by the case by Professional Contractors. Each pack contains 12 cartridges of ALEX PLUS® All Purpose Acrylic Latex Caulk Plus Silicone.



Material Code	Size	Colour	Case Weight (lb)	Case Weight (kg)	Case Pack	Case Dimensions (LxWxH)	Cases Per Pallet
7079874275	1 CS	WHITE	14.5	6.58	1	20 cm x 15 cm x 30 cm	108



DAP® ALEX FAST DRY® All Purpose Acrylic Latex Caulk Plus Silicone

Specifically formulated to meet the demanding needs of Professional Painters and deliver outstanding paint finish results. It can be brush painted 20 minutes after application or spray painted immediately, so the job gets finished faster. This durable, flexible caulk resists cracking, dirt pickup and paint glossing. It applies smoothly and easily, has outstanding adhesion to a wide variety of surfaces and provides a 100% waterproof seal. Low odour and easy water clean-up. Cured caulk is mould and mildew resistant. Interior/exterior use. 50 Year. Exceeds ASTM C834.



Material Code	Size	Colour	Case Weight (lb)	Case Weight (kg)	Case Pack	Case Dimensions (LxWxH)	Cases Per Pallet
7079874856	162 ML	WHITE	9.82	4.45	15	20 cm x 19 cm x 25 cm	120
7079878425	300 ML	WHITE	14.75	6.69	12	20 cm x 15 cm x 30 cm	108

DAP® ALEX FAST DRY® All Purpose Acrylic Latex Caulk Plus Silicone Contractor Pack

Buy by the case and save! Designed for purchase by the case by Professional Contractors. Each pack contains 12 cartridges of ALEX FAST DRY® Acrylic Latex Caulk Plus Silicone.



Material Code	Size	Colour	Case Weight (lb)	Case Weight (kg)	Case Pack	Case Dimensions (LxWxH)	Cases Per Pallet
7079874851	1 CS	WHITE	14.75	6.69	1	20 cm x 15 cm x 30 cm	108



DAP® ALEX FLEX® Premium Moulding & Trim Acrylic Latex Sealant

Specifically formulated for use on moulding and trim applications. A premium performance sealant that delivers maximum adhesion and flexibility for a crack proof seal. Paint ready in 30 minutes to finish the job faster. It provides a long lasting, durable seal that will not shine through or discolour paint. Ideal for achieving a professional look with paint projects when sealing around windows, doors, trim, crown moulding, chair rails and baseboards. Excellent adhesion to wood, PVC and composite moulding. It is easy to apply and tool, low in odour and cleans up with water. Cured sealant is mould and mildew resistant. Interior/ exterior use. 60 Year Warranty. Meets ASTM C920, Class 12.5.



Material Code	Size	Colour	Case Weight (lb)	Case Weight (kg)	Case Pack	Case Dimensions (LxWxH)	Cases Per Pallet
7079878542	300 ML	WHITE	13.64	6.19	12	20 cm x 15 cm x 30 cm	108

DAP® ALEX® Painter's Acrylic Latex Caulk

All purpose acrylic latex painter's caulk that applies smoothly and easily to a wide variety of surfaces. Paintable, low odour and easy water clean-up. Cured caulk is mould and mildew resistant. Interior/exterior use. 25 Year. Meets ASTM C834.




Material Code	Size	Colour	Case Weight (lb)	Case Weight (kg)	Case Pack	Case Dimensions (LxWxH)	Cases Per Pallet
7079873630	300 ML	WHITE	14.40	6.53	12	20 cm x 15 cm x 30 cm	108



DAP® ALEX® Painter's Acrylic Latex Caulk Contractor Pack

Buy by the case and save! Designed for purchase by the case by Professional Contractors. Each pack contains 12 cartridges of ALEX® Painter's Acrylic Latex Caulk.



Material Code	Size	Colour	Case Weight	Case Weight (lb)	Case Pack	Case Dimensions (LxWxH)	Cases Per Pallet
7079873631	300 ML	WHITE	14.53	6.59	1	20 cm x 15 cm x 30 cm	108

DAP® ALEX® ULTRA Advanced Latex Sealant

DAP® ALEX® ULTRA Premium Latex Sealant is a high performing acrylic latex sealant that offers exceptional performance for the Pro Painter. With Anti-Shrink technology, it is designed to shrink less, creating a more durable long-lasting seal that won't crack after painted. It can be brush painted in just 15 minutes after application or spray painted immediately for improved productivity. This low shrink, durable, flexible sealant applies smoothly & easily, is low in odour, and doesn't pick up dirt. It has superior adhesion to a wide variety of surfaces, provides a 100% waterproof seal and cured caulk is mould and mildew resistant. Backed by a Lifetime Guarantee. Exceeds ASTM Specification C834. Interior/exterior use.



Material Code	Size	Colour	Case Weight	Case Weight (lb)	Case Pack	Case Dimensions (LxWxH)	Cases Per Pallet
7079878200	300 ML	WHITE	9.82	4.45	12	20 cm x 15 cm x 30 cm	108



DAP® EXTREME STRETCH Premium Crackproof Elastomeric Sealant

DAP® EXTREME STRETCH Premium Crackproof Elastomeric Sealant provides urethane acrylic technology for extreme flexibility and strength with long lasting durability. It has over 600% total stretch without cracking or losing adhesion. It is paint ready in just 2 hours and won't shine through, dull, discolour or crack paint. With its strong, multi-material adhesion, it is ideal for a wide variety of applications such as sealing around windows, doors, siding, trim, baseboards, crown moulding and more. Easy and smooth application with water clean up and low odour. Interior/exterior use. Lifetime Guarantee. Meets ASTM C920, Class 25.



Material Code	Size	Colour	Case Weight (lb)	Case Weight (kg)	Case Pack	Case Dimensions (LxWxH)	Cases Per Pallet
7079874865	300 ML	WHITE	11.9	5.40	12	20 cm x 15 cm x 30 cm	108

DAP® PRO Caulk™ 8-piece Caulking Tool Kit

The easy, no-mess way to a perfect, professional seal in seconds. Creates a perfect looking seal every time – any edge, any corner, any joint – while reducing the amount of wasted caulk, sealant or compound.

The Tool Kit includes:

- (3) Sealing Tools
- Caulk Removal Tool
- (3) Rubberized Caulk Saver Caps
- Extended Reach Nozzle

The tools can be used indoors or out, on just about every caulking and sealing project.



Material Code	Size	Colour	Case Weight (lb)	Case Weight (kg)	Case Pack	Case Dimensions (LxWxH)	Cases Per Pallet
7079874875	1 EA	BLUE	1.2	0.54	4	14 cm x 12 cm x 28 cm	224



DAP® KWIK SEAL ULTRA® Premium Siliconized Kitchen & Bath Sealant

High performance, advanced siliconized kitchen and bath sealant that repels water, soap scum, stains and dirt and offers a lifetime mould and mildew resistance guarantee so the sealant stays looking clean, fresh and new. It is 100% waterproof and crack proof and can be exposed to water in as little as 4 hours after application without washing out. It offers long-lasting durability and excellent adhesion to a wide range of materials. Safe for granite and marble. Easy-to-use formula applies easily and smoothly, is low in odour and cleans up with water.



**MILDEW CAN'T GROW
STAINS WON'T STICK
DIRT RINSES OFF**



Material Code	Size	Colour	Case Weight (lb)	Case Weight (kg)	Case Pack	Case Dimensions (LxWxH)	Cases Per Pallet
7079874820	300 ML	WHITE	9.85	4.47	12	20 cm x 15 cm x 30 cm	108
7079874821	300 ML	CLEAR	9.78	4.44	12	20 cm x 15 cm x 30 cm	108
7079874822	162 ML	BISCUIT	6.39	2.90	15	20 cm x 19 cm x 25 cm	120
7079874823	162 ML	WHITE	6.4	2.90	15	20 cm x 19 cm x 25 cm	120
7079874824	162 ML	CLEAR	6.35	2.88	15	20 cm x 19 cm x 25 cm	120

DAP® KWIK SEAL® Kitchen & Bath Adhesive Caulk

Bonds like a glue and seals like a caulk. Provides a durable, 100% waterproof seal. Cured caulk is mould and mildew resistant. Applies easily and tools smoothly. Excellent adhesion. Paintable. Low odour and easy water clean-up.



Material Code	Size	Colour	Case Weight (lb)	Case Weight (kg)	Case Pack	Case Dimensions (LxWxH)	Cases Per Pallet
7079874853	162 ML	WHITE	9.74	4.42	15	20 cm x 19 cm x 25 cm	120
7079874855	162 ML	CLEAR	6.34	2.88	15	20 cm x 19 cm x 25 cm	120
7079871018	300 ML	WHITE	14.75	6.69	12	20 cm x 15 cm x 30 cm	108



DAP® AMP™ Advanced Modified Polymer Waterproof Kitchen, Bath and Plumbing Sealant

DAP® AMP™ Advanced Modified Polymer Kitchen, Bath and Plumbing Sealant provides a 100% waterproof seal with the ability to be applied on wet and damp surfaces. It has a fast 30-minute paint and water ready time and prevents the growth of stains and odour-causing mould and mildew on the sealant. For interior use. This premium hybrid technology offers maximum flexibility and superior adhesion for a durable seal that won't crack or shrink. It is safe for marble and granite and most metals and is mould and mildew resistant once cured. DAP® AMP™ Kitchen, Bath and Plumbing sealant is easy to use, low in odour, VOC compliant and formulated for superior UV resistance. Backed by a lifetime guarantee.



Material Code	Size	Colour	Case Weight (lb)	Case Weight (kg)	Case Pack	Case Dimensions (LxWxH)	Cases Per Pallet
7079874342	266 ML	WHITE	12.8	5.81	12	20 cm x 15 cm x 30 cm	108
7079874343	266 ML	CRYSTAL CL	9.9	4.49	12	20 cm x 15 cm x 30 cm	108

DAP® SILICONE ULTRA® Premium Kitchen & Bath 100% Silicone Sealant

DAP® SILICONE ULTRA® Premium Kitchen & Bath 100% Silicone provides maximum silicone performance to seal out water and moisture in kitchen and bathroom applications. It is backed by a 20 year mould and mildew resistance guarantee and offers maximum flexibility and adhesion for a crack proof, 100% waterproof seal. Water ready in just 30 minutes to save time. VOC compliant. Lifetime Guarantee. NSF certified - making it safe for incidental food contact.



Material Code	Size	Colour	Case Weight (lb)	Case Weight (kg)	Case Pack	Case Dimensions (LxWxH)	Cases Per Pallet
7079873389	300 ML	WHITE	9.22	4.18	12	20 cm x 15 cm x 30 cm	108
7079873390	300 ML	CLEAR	9.22	4.18	12	20 cm x 15 cm x 30 cm	108
7079873393	300 ML	TRANSLUCENT WHITE	9.22	4.18	12	20 cm x 15 cm x 30 cm	108



DAP® SILICONE PLUS™ Premium Kitchen & Bath 100% Silicone Rubber Sealant

Premium quality, 100% silicone rubber sealant that provides outstanding durability and flexibility for a long-lasting, 100% waterproof seal. Cured sealant is mould and mildew resistant. Shrink and crack proof. It can be exposed to water after only 30 minutes without washing out. Low in odour. Lifetime Guarantee.



Material Code	Size	Colour	Case Weight (lb)	Case Weight (kg)	Case Pack	Case Dimensions (LxWxH)	Cases Per Pallet
7079873374	319 ML	CLEAR	10.2	4.63	12	20 cm x 15 cm x 30 cm	108
7079873376	319 ML	WHITE	12.6	5.72	12	20 cm x 15 cm x 30 cm	108
7079873380	319 ML	ALMOND	12.6	5.72	12	20 cm x 15 cm x 30 cm	108
7079873382	83 ML	WHITE	3.9	1.77	12	24 cm x 14 cm x 22 cm	200
7079873383	83 ML	CLEAR	3.9	1.77	12	24 cm x 14 cm x 22 cm	200

DAP® Kitchen & Bath 100% Silicone Rubber Sealant

100% silicone rubber sealant provides excellent durability, flexibility and adhesion for a long-lasting, 100% waterproof seal. Cured sealant is mould and mildew resistant. Lifetime Guarantee.



Material Code	Size	Colour	Case Weight (lb)	Case Weight (kg)	Case Pack	Case Dimensions (LxWxH)	Cases Per Pallet
7079873444	290 ML	CLEAR	9.17	4.16	12	20 cm x 15 cm x 30 cm	108
7079873446	290 ML	WHITE	9.17	4.16	12	20 cm x 15 cm x 30 cm	108
7079873448	290 ML	ALMOND	9.17	4.16	12	20 cm x 15 cm x 30 cm	108
7079873450	290 ML	GRAY	9.38	4.25	12	20 cm x 15 cm x 30 cm	108



DAP® ULTRA CLEAR Flexible All Purpose Waterproof Sealant

High performance ultra elastic, ultra clear sealant ideal for sealing a wide variety of surfaces and projects. ULTRA CLEAR is crystal clear, allowing surface beauty to shine through and providing a seamless finish. It is clearer than silicone and doesn't yellow, crack, crumble, chalk or break down over time, providing a 100% waterproof and weatherproof seal. It adheres to wet or damp surfaces, is water/rain ready immediately and has strong multi-surface adhesion. ULTRA CLEAR stays flexible and crackproof even in cold weather, for a long-lasting durable seal. Paintable. Interior/exterior use.



Material Code	Size	Colour	Case Weight (lb)	Case Weight (kg)	Case Pack	Case Dimensions (LxWxH)	Cases Per Pallet
7079874329	147 ML	CRYSTAL CL	5.43	2.46	15	20 cm x 19 cm x 25 cm	120
7079874330	300 ML	CRYSTAL CL	8.72	3.95	12	20 cm x 15 cm x 30 cm	105

DAP® Silicone Ultra Aquarium Safe & All-Purpose Premium Waterproof Sealant

100% silicone rubber sealant ideal for quick household repairs and projects. It forms a strong, 100% waterproof seal that won't crack or shrink. It is safe for incidental food contact, as well as being dishwasher and microwave safe. It is also ideal for building or repairing small aquariums and is harmless to fresh and saltwater fish when cured.



Material Code	Size	Colour	Case Weight (lb)	Case Weight (kg)	Case Pack	Case Dimensions (LxWxH)	Cases Per Pallet
7079874325	83 ML	CLEAR	2.44	1.11	12	19 cm x 14 cm x 20 cm	200



DAP® Premium Polyurethane Construction Adhesive Sealant

High performance, advanced siliconized kitchen and bath sealant that repels water, soap scum, stains and dirt and offers a lifetime mould and mildew resistance guarantee so the sealant stays looking clean, fresh and new. It is 100% waterproof and crack proof and can be exposed to water in as little as 4 hours after application without washing out. It offers long-lasting durability and excellent adhesion to a wide range of materials. Safe for granite and marble. Easy-to-use formula applies easily and smoothly, is low in odour and cleans up with water.

**PRO
GRADE**

LIFETIME



Material Code	Size	Colour	Case Weight (lb)	Case Weight (kg)	Case Pack	Case Dimensions (LxWxH)	Cases Per Pallet
7079874810	300 ML	WHITE	16	7.26	12	20 cm x 15 cm x 30 cm	108
7079874814	300 ML	BLACK	16	7.26	12	20 cm x 15 cm x 30 cm	108
7079874816	300 ML	GRAY	16	7.26	12	20 cm x 15 cm x 30 cm	108

DAP® Concrete & Masonry Filler & Sealant

High performance, latex-based sealant formulated to repair cracks and holes in concrete, mortar and masonry. Contains silicone additives for improved adhesion and water resistance. Forms a durable, flexible and waterproof seal. Resists gas, oil, grease and salt. Paintable. Easy water clean-up. Interior/exterior use.



Material Code	Size	Colour	Case Weight (lb)	Case Weight (kg)	Case Pack	Case Dimensions (LxWxH)	Cases Per Pallet
7079870618	300 ML	GRAY	14.87	6.74	12	20 cm x 15 cm x 30 cm	108



DAP® Roof Asphalt Filler & Sealer

High performance, asphalt-based sealant for sealing roof gaps and joints, spotting shingles and repairing minor roof leaks. Forms a durable, flexible, weather resistant and waterproof seal. Can be used for both wet and dry applications. Will not run, sag or bubble. Exterior use.



Material Code	Size	Colour	Case Weight	Case Weight (lb)	Case Pack	Case Dimensions (LxWxH)	Cases Per Pallet
7079870580	300 ML	BLACK	14.51	6.58	12	20 cm x 15 cm x 30 cm	105

DAP® AMP™ Advanced Modified Polymer Gutter and Flashing Sealant

DAP's® AMP™ Advanced Modified Polymer Gutter and Flashing Sealant provides a 100% weatherproof and waterproof seal with the ability to be applied on wet and damp surfaces. It has a fast 30-minute paint and rain ready time and meets ASTM C920, Class 25. Exterior/Interior use. This premium hybrid technology offers maximum flexibility and superior adhesion for a durable seal that won't crack or shrink and can withstand the expansion and contraction caused by temperature and weather fluctuations. It can be applied in extreme temperatures – from -17°C to 60°C and is mould and mildew resistant once cured. DAP AMP Gutter and Flashing sealant is easy to use, low in odour, VOC compliant and formulated for superior UV resistance. Backed by a lifetime guarantee.



Material Code	Size	Colour	Case Weight	Case Weight (lb)	Case Pack	Case Dimensions (LxWxH)	Cases Per Pallet
7079870765	266 ML	CRYSTL CL	12.15	5.51	12	20 cm x 15 cm x 30 cm	108



DAP® Blacktop Asphalt VOC-Compliant Filler & Sealer

DAP® BLACKTOP ASPHALT VOC COMPLIANT FILLER & SEALER is a ready-to-use, professional- grade, asphalt-based low solvent formulation for the quick and easy repair of cracks and gaps in asphalt surfaces. It doesn't require heating or mixing and flows easily into cracks to form a long-lasting barrier which keeps out water, preventing ice damage and surface deterioration. It also provides a durable waterproof and weatherproof seal. It offers excellent adhesion and resists crumbling and drying out caused by temperature changes, UV light and severe weather conditions. This product won't run or bubble in hot weather or become brittle or crack in cold weather. It dries to a matte black finish that may be coated with asphalt or tar-based driveway dressings. Meets the specifications for AASHTO Designation M140-70 and ASTM Designation D-977-73 & D-244. Exterior use.



Material Code	Size	Colour	Case Weight (lb)	Case Weight (kg)	Case Pack	Case Dimensions (LxWxH)	Cases Per Pallet
7079877065	300 ML	BLACK	15	6.80	12	20 cm x 15 cm x 30 cm	108

DAP® DRAFT ATTACK® The Original Solvent Formula All Season Removable Weather Stripping Sealant

Removable Weatherstrip Sealant is formulated for use as a seasonal weatherstripping product. It provides a watertight, weatherproof and fast drying seal against air and moisture, keeping homes warmer in winter, cooler in summer, while also reducing energy bills. Use it to seal drafty windows, seasonally used doors, around air conditioners, vents or fans. Then easily peel it away when no longer needed. Interior/Exterior use.



Material Code	Size	Colour	Case Code	Case Weight (lb)	Case Weight (kg)	Case Dimensions (LxWxH)	Cases Per Pallet
7079878351	300 ML	CLEAR	13.3	6.03	12	20 cm x 15 cm x 30 cm	108



DAP® BLOCKADE® Fire-Rated High Performance Intumescent Acrylic Latex Sealant

Meets ASTM E814/UL 1479 and CAN/ULC-S115M specifications. Intumescent product expansion fills voids created by combustible materials burned during a fire. Treats general firestopping applications for combustible and non-combustible penetrations. Excellent adhesion to unprimed surfaces. Red colour for easy inspection.



Material Code	Size	Colour	Case Weight (lb)	Case Weight (kg)	Case Pack	Case Dimensions (LxWxH)	Cases Per Pallet
7079874058	300 ML	RED	12.25	5.56	12	20 cm x 15 cm x 30 cm	132

DAP® Fire Stop Fire-Rated Silicone Sealant

Meets ASTM E814/UL 1479 and UL 2079 Specifications. Classified for sealing fire-rated non-combustible service penetrations and construction joints in horizontal and vertical fire separations. Elastomeric—capable of $\pm 25\%$ dynamic joint movement.



Material Code	Size	Colour	Case Weight (lb)	Case Weight (kg)	Case Pack	Case Dimensions (LxWxH)	Cases Per Pallet
7079871064	300 ML	LT GRAY	13	5.90	12	21 cm x 16 cm x 30 cm	132



DAP® AMP™ Advanced Modified Polymer Self-Leveling Concrete and Masonry Sealant

AMPLify your project with DAP® AMP™ Advanced Modified Polymer Self-Leveling Concrete and Masonry Sealant that provides a 100% weatherproof and waterproof seal with the ability to be applied on wet and damp surfaces. It has a fast 1-hour paint and rain ready time and meets ASTM C920, Class 25. Interior/exterior use. This premium hybrid technology offers maximum flexibility and superior adhesion for a durable seal that won't crack or shrink and can withstand the expansion and contraction caused by temperature and weather fluctuations. It can be applied in extreme temperatures – from -7°C to 49°C and is mould and mildew resistant once cured. DAP® AMP™ Advanced Modified Polymer Self-Leveling Concrete and Masonry sealant is easy to use, low in odour, VOC complaint and formulated for superior UV resistance. Backed by a lifetime guarantee.



Case Code	Size	Colour	Case Weight (lb)	Case Weight (kg)	Case Pack	Case Dimensions (LxWxH)	Cases Per Pallet
7079874344	266 ML	GRAY	13.12	5.95	12	20 cm x 15 cm x 30 cm	108

DAP® Textured Concrete Premium Elastomeric Latex Filler & Sealant

Textured Concrete Premium Elastomeric Filler & Sealant is formulated with a textured finish to seamlessly blend with concrete surfaces while offering outstanding flexibility and strong adhesion for a durable and long-lasting repair.

- 100% waterproof & weatherproof
- Excellent adhesion & flexibility for a durable seal
- Easy water clean-up & low odor
- 2 hour paint ready & won't stain or bleed
- Safe for vehicle & foot traffic
- Lifetime Guarantee
- Exterior/interior



Use for filling & sealing cracks & gaps in: Concrete Surfaces, Patios, Steps, Concrete Driveways, Sidewalks, Garage Floors, Above Ground Foundations & Pavements

Material Code	Size	Colour	Case Weight (lb)	Case Weight (kg)	Case Pack	Case Dimensions (LxWxH)	Cases Per Pallet
7079874332	300 ML	TEX. GRAY	12.79	5.80	12	20 cm x 15 cm x 30 cm	108



DAP® Textured Mortar Premium Elastomeric Latex Filler & Sealant

Textured Mortar is a premium elastomeric ready-to-use filler and sealant used for repairing and sealing cracks & joints in mortar, masonry, stucco, concrete, stone, & brick. The textured finish blends easily with most mortar substrates for a seamless finish. It has excellent flexibility, adhesion, & durability providing a long-lasting crackproof seal. No mixing required. as excellent flexibility, adhesion, & durability providing a long-lasting crackproof seal. No mixing required.

- 100% waterproof & weatherproof
- Excellent adhesion & flexibility for a durable seal
- Easy water clean-up & low odor
- 2 hour paint ready & won't stain or bleed
- Lifetime Guarantee
- Exterior/interior



Use for filling & sealing cracks & gaps in: Concrete Surfaces, Patios, Steps, Concrete Driveways, Sidewalks, Garage Floors, Above Ground Foundations & Pavements

Material Code	Size	Colour	Case Weight (lb)	Case Weight (kg)	Case Pack	Case Dimensions (LxWxH)	Cases Per Pallet
7079870081	300 ML	TEX. BEIG	12.79	5.80	12	20 cm x 15 cm x 30 cm	108
7079870082	300 ML	TEX. GRAY	12.79	5.80	12	20 cm x 15 cm x 30 cm	108

DAP® HIGH TEMP 100% RTV Silicone Sealant

A high-performance sealant designed especially for extreme high temperature applications. Provides a long-lasting weather resistant seal with supreme adhesion, flexibility, and durability. Adheres to most common building materials and remains flexible from -40°C to 260°C (285°C intermittent). Meets Fed. Spec. TT-S001543A, ASTM C920, FDA Reg. No. 21 CFR 177.2600, and NSF/ANSI Standard 51. Safe for incidental food contact. Interior/exterior use.



Material Code	Size	Colour	Case Weight (lb)	Case Weight (kg)	Case Pack	Case Dimensions (LxWxH)	Cases Per Pallet
7079874331	300 ML	RED	9.17	4.16	12	20 cm x 15 cm x 30 cm	108



DAP® HVAC PROFESSIONAL 100% RTV Silicone

A high-performance sealant designed especially for HVAC applications. It provides a long-lasting weather resistant seal with supreme adhesion, flexibility, and durability. It adheres to most common building materials and remains flexible from -40°F to 475°F. Meets Fed. Spec. TTS001543A, ASTM C920, FDA Reg. No. 21 CFR 177.2600, and NSF/ANSI Standard 51. Safe for incidental food contact and is for Interior/Exterior use.



Material Code	Size	Colour	Case Weight (lb)	Case Weight (kg)	Case Pack	Case Dimensions (LxWxH)	Cases Per Pallet
7079874326	300 ML	ALUMINUM	9.17	4.16	12	20 cm x 15 cm x 30 cm	108
7079874327	300 ML	CLEAR	9.17	4.16	12	20 cm x 15 cm x 30 cm	108
7079874328	300 ML	WHITE	9.17	4.16	12	20 cm x 15 cm x 30 cm	108



DAP® AMP™ Advanced Modified Polymer All Weather Window, Door and Siding Sealant

AMP Advanced Modified Polymer All Weather Window, Door and Siding Sealant provides a 100% weatherproof and waterproof seal with the ability to be applied on wet and damp surfaces. It has a fast 30 minute paint and rain ready time, and is specially formulated to meet ASTM C920, Class 35. For exterior and interior use. This premium hybrid technology offers maximum flexibility and superior adhesion for a durable seal that won't crack or shrink and can withstand the expansion and contraction caused by temperature and weather fluctuations. It can be applied in extreme temperatures – from -17-60°C and is mould and mildew resistant once cured. DAP® AMP™ All Weather Window, Door, Siding and Trim sealant is easy to use, low in odour, VOC compliant and formulated for superior UV resistance. Backed by a lifetime guarantee.



Material Code	Size	Colour	Case Weight (lb)	Case Weight (kg)	Case Pack	Case Dimensions (LxWxH)	Cases Per Pallet
7079874340	266 ML	WHITE	12.15	5.51	12	20 cm x 15 cm x 30 cm	108
7079874341	266 ML	CRYSTL CL	9.9	4.49	12	20 cm x 15 cm x 30 cm	108

DAP® Window, Door & Siding 100% Silicone Rubber Sealant

Premium quality, 100% silicone rubber sealant that provides outstanding durability and flexibility for a long-lasting, 100% waterproof and weatherproof seal. Shrink and crack proof. It can be exposed to water after only 30 minutes without washing out. Cured sealant is mould and mildew resistant. Low in odour. Interior/exterior use. Lifetime Guarantee. Meets ASTM C920, Class 25.



Material Code	Size	Colour	Case Weight (lb)	Case Weight (kg)	Case Pack	Case Dimensions (LxWxH)	Cases Per Pallet
7079873461	290 ML	WHITE	9.15	4.15	12	20 cm x 15 cm x 30 cm	108
7079873473	290 ML	CLEAR	9.15	4.15	12	20 cm x 15 cm x 30 cm	108
7079873485	290 ML	ALUMINUM	9.15	4.15	12	20 cm x 15 cm x 30 cm	108
7079873497	290 ML	BROWN	9.38	4.25	12	20 cm x 15 cm x 30 cm	108



DAP® DYNAFLEX ULTRA™ Advanced Exterior Window, Door & Siding Sealant

Advanced Sealant for Window, Door, Siding & Trim applications is formulated with innovative WeatherMax™ Technology to resist UV fading, yellowing, chalking, crumbling, cracking and dirt build up. It also has a lifetime mould, mildew and algae resistance warranty, so the sealant stays looking clean and new. DYNAFLEX ULTRA™ has strong adhesion to common building materials and stays flexible for a long-lasting, weatherproof seal that provides All Weather Protection and stands up to the elements. It is rain ready and paintable in only one hour for better productivity. Meets ASTM C920, Type S, NS, Class 25.



Material Code	Size	Colour	Case Pack	Case Weight (lb)	Case Weight (kg)	Case Dimensions (LxWxH)	Cases Per Pallet
7079874150	300 ML	WHITE	12	11.9	5.44	20 cm x 15 cm x 30 cm	108
7079874151	300 ML	CLEAR	12	10.2	4.65	20 cm x 15 cm x 30 cm	108
7079874152	300 ML	BEIGE	12	28.3	12.85	20 cm x 15 cm x 30 cm	108
7079874156	300 ML	BROWN	12	12.8	5.85	20 cm x 15 cm x 30 cm	108
7079874157	300 ML	LT GREY	12	12.8	5.85	20 cm x 15 cm x 30 cm	108
7079874158	300 ML	BLACK	12	12.8	5.85	20 cm x 15 cm x 30 cm	108
7079874159	300 ML	CEDAR TAN	12	12.8	5.85	20 cm x 15 cm x 30 cm	108
7079874153	300 ML	CLAY	12	5.82	5.82	20 cm x 15 cm x 30 cm	108
7079874154	300 ML	IRON GREY	12	12.8	5.85	20 cm x 15 cm x 30 cm	108
7079874155	300 ML	DARK BRONZE	12	12.8	5.85	20 cm x 15 cm x 30 cm	108
7079874160	162 ML	WHITE	15	6.9	3.13	25 cm x 13 cm x 25 cm	93
7079878207	162 ML	CLEAR	15	6.9	3.13	25 cm x 13 cm x 25 cm	120



DAP® SILICONE ULTRA™ Premium All Purpose 100% Silicone

DAP® SILICONE ULTRA™ Premium All Purpose 100% Silicone provides maximum silicone performance to seal out air and water in window, door and siding applications. It has +/-50% joint movement for maximum flexibility and adhesion so it withstands contraction and expansion caused by extreme temperature and weather fluctuations without cracking or losing adhesion. Water ready in 30 minutes for a 100% waterproof and weatherproof seal. Shrink and crack proof. Cured sealant is mould & mildew resistant. Low in odour and VOC compliant. Interior/exterior use. Lifetime Guarantee. Meets ASTM C920, Class 50.



Material Code	Size	Colour	Case Weight (lb)	Case Weight (kg)	Case Pack	Case Dimensions (LxWxH)	Cases Per Pallet
7079873391	300 ML	WHITE	9.94	4.51	12	20 cm x 15 cm x 30 cm	108
7079873392	300 ML	CLEAR	9.74	4.42	12	20 cm x 15 cm x 30 cm	108

DAP® SILICONE PLUS™ Premium Window, Door & Siding 100% Silicone Rubber Sealant

Premium quality, 100% silicone rubber sealant that provides outstanding durability and flexibility for a long-lasting, 100% waterproof and weatherproof seal. Shrink and crack proof. It can be exposed to water after only 30 minutes without washing out. Cured sealant is mould and mildew resistant. Low in odour. Interior/exterior use. Lifetime Guarantee. Meets ASTM C920, Class 25.



Material Code	Size	Colour	Case Weight (lb)	Case Weight (kg)	Case Pack	Case Dimensions (LxWxH) Pallet	Cases Per Pallet
7079873252	319 ML	CLEAR	12.6	5.72	6	20 cm x 15 cm x 30 cm	108
7079873350	319 ML	WHITE	13	5.90	12	20 cm x 15 cm x 30 cm	108
7079873352	319 ML	CLEAR	12.6	5.72	12	20 cm x 15 cm x 30 cm	108
7079873354	319 ML	BROWN	13	5.90	12	20 cm x 15 cm x 30 cm	108
7079873356	319 ML	BLACK	13	5.90	12	20 cm x 15 cm x 30 cm	108
7079873358	83 ML	CLEAR	3.9	1.77	12	24 cm x 14 cm x 22 cm	200
7079873384	319 ML	ALMOND	13	5.90	12	20 cm x 15 cm x 30 cm	108
7079873385	319 ML	GREY	13	5.90	12	20 cm x 15 cm x 30 cm	108



DAP® DYNAFLEX 230® Premium 100% Waterproof Indoor/Outdoor Elastomeric Sealant

Premium elastomeric “Silicone Tough” latex formulation delivers outstanding performance against the elements. Provides superior flexibility and elongation to seal joints up to 2” wide and endure expansion and contraction without cracking or losing its seal. 100% waterproof and weather proof. Won’t crack, crumble or chalk. It has excellent adhesion to a wide range of building materials including wood, MDF, fibre cement, vinyl, aluminium, PVC polystyrene and composite trimboard. Paintable, easy gunning, smooth tooling and water clean-up. Cured sealant is mould and mildew resistant. Meets ASTM C920, Class 25.



Material Code	Size	Colour	Case Weight (lb)	Case Weight (kg)	Case Pack	Case Dimensions (LxWxH)	Cases Per Pallet
7079874084	300 ML	WHITE	13.1	5.94	12	20 cm x 15 cm x 30 cm	108
7079874086	300 ML	ALMOND	13.5	6.12	12	20 cm x 15 cm x 30 cm	108
7079874096	300 ML	BROWN	13.5	6.12	12	20 cm x 15 cm x 30 cm	108
7079874102	300 ML	BLACK	13.5	6.12	12	20 cm x 15 cm x 30 cm	108
7079874108	300 ML	GRAY	13.5	6.12	12	20 cm x 15 cm x 30 cm	108
7079874120	300 ML	CLEAR	10.01	4.54	12	20 cm x 15 cm x 30 cm	108
7079874849	300 ML	CEDAR TAN	13.5	6.12	12	20 cm x 15 cm x 30 cm	108
7079874110	162 ML	WHITE	8.6	3.9	15	19 cm x 18 cm x 25 cm	120
7079874111	162 ML	CLEAR	6.27	2.84	15	19 cm x 18 cm x 25 cm	120



DAP® PLATINUM PATCH™ Advanced Exterior Filler (RTU)

Provides exceptional weatherproof protection that prevents discolouration, cracking and crumbling. The tough hydrophobic surface provides a waterproof repair that won't swell, soften, blister or break down and is mould, mildew and algae resistant making it perfect for areas with continuous exposure to the elements. It has strong multi-material adhesion to tough porous and non-porous materials making it ideal for exterior applications such as the installation, finishing or repairing of fibre cement siding, PVC trim board, vinyl siding, metal, composite concrete, brick, wood and more. It creates a strong durable bond that won't crack or lose adhesion over time and is also sandable, paintable, easy water clean-up and low in odour. Interior/exterior use.



Material Code	Size	Colour	Case Weight (lb)	Case Weight (kg)	Case Pack	Case Dimensions (LxWxH)	Cases Per Pallet
7079874887	207 ML	WHITE	4.47	2.01	6	17 cm x 16 cm x 24 cm	168
7079874888	946 ML	WHITE	26.28	11.83	8	26 cm x 26 cm x 26 cm	64

DAP® FAST DRY High Strength Spackling with DRYDEX® Technology

DAP® FAST DRY High Strength Spackling with DryDex® technology is a professional grade spackling designed for durability speed and ease of use. It features a unique dry time indicator—with DRYDEX® technology—that shows when the surface is ready for sanding, helping to eliminate guesswork and reduce errors. This ready-to-use formula goes on smoothly and resists sinking, shrinking, and cracking. Many small repairs* that require no sanding can be painted in as little as 15 minutes, making it ideal for such fast-paced projects. Typically requiring just one coat for small repairs*, it dries hard, sands easily, and consistently delivers a professional finish.



Material Code	Size	Colour	Case Weight (lb)	Case Weight (kg)	Case Pack	Case Dimensions (LxWxH)	Cases Per Pallet
7079874890	946 ML	PINK/WHITE	11.19	5.07	6	38 cm x 25 cm x 13 cm	96



DAP® ALEX FLEX® Flexible Spackling (RTU)

Provides a solution to eliminate reoccurring cracks in drywall. Its ready-to-use formula spreads easily for fast, flexible repairs that can be sanded to a smooth finish. This professional-grade formula will not shrink or crack and is perfect for interior or exterior applications.



Material Code	Size	Colour	Case Weight (lb)	Case Weight (kg)	Case Pack	Case Dimensions (LxWxH)	Cases Per Pallet
7079874870	473 ML	WHITE	21.97	9.97	12	30 cm x 21 cm x 21 cm	85
7079874871	946 ML	WHITE	28.15	12.77	8	30 cm x 21 cm x 21 cm	64

DAP® ALEX PLUS® Spackling (RTU)

Provides unsurpassed performance for filling holes & cracks in surfaces such as drywall, plaster, wood, brick, metal and stone. Its ready-to-use, smooth white formula spreads easily for fast professional repairs that will not crack, crumble or flake. This professional-grade formula will not sink or shrink, provides superior paintability and exceptional durability. Perfect for interior and exterior applications.



Material Code	Size	Colour	Case Weight (lb)	Case Weight (kg)	Case Pack	Case Dimensions (LxWxH)	Cases Per Pallet
7079874866	237 ML	WHITE	12.48	5.66	12	34 cm x 25 cm x 9 cm	154
7079874868	946 ML	WHITE	25.15	11.41	6	38 cm x 25 cm x 13 cm	96



DAP® DRYDEX® Dry Time Indicator Spackling (RTU)

Provides unsurpassed performance for filling holes & cracks in surfaces such as drywall, plaster, wood, brick, metal and stone. Its ready-to-use, smooth white formula spreads easily for fast professional repairs that will not crack, crumble or flake. This professional-grade formula will not sink or shrink, provides superior paintability and exceptional durability. Perfect for interior and exterior applications.



Material Code	Size	Colour	Case Weight (lb)	Case Weight (kg)	Case Pack	Case Dimensions (LxWxH)	Cases Per Pallet
7079872337	162 ML	PINK	8.75	3.97	12	27 cm x 11 cm x 27 cm	99
7079871162	237 ML	PINK	6.56	2.98	6	26 cm x 17 cm x 10 cm	242
7079871164	946 ML	PINK	24.93	11.31	6	38 cm x 25 cm x 13 cm	96
7079872347	3.78 L	PINK	32.86	14.91	2	41 cm x 20 cm x 21 cm	75

DAP® Wall Repair Patch Kit Featuring DRYDEX® Spackling

A complete project solution. Repairs holes up to 4" in diameter in drywall, plaster and masonry surfaces. Includes all the necessary tools:

- DRYDEX® Spackling - Goes on pink, dries white
- 5" x 5" Fibre Tough Patch
- 4" x 3" 100-grit sand paper
- Putty knife



Material Code	Size	Colour	Case Weight (lb)	Case Weight (kg)	Case Pack	Case Dimensions (LxWxH)	Cases Per Pallet
7079872345	1 EA	WHITE/ KIT	6.75	3.06	6	54 cm x 18 cm x 21 cm	60



DAP® FAST 'N FINAL® Lightweight Spackling (RTU)

A lightweight spackling lets you patch and prime in one easy step, saving time and money. It dries fast with no need to sand or prime, letting you paint in minutes for a virtually invisible repair. Ideal for repairing holes, cracks and dents in drywall, plaster, wood and stucco. Interior/exterior use.



Material Code	Size	Colour	Case Weight (lb)	Case Weight (kg)	Case Pack	Case Dimensions (LxWxH)	Cases Per Pallet
7079871354	946 ML	WHITE	8.3	3.76	6	38 cm x 25 cm x 13 cm	96
7079823050	473 ML	WHITE	5	2.27	6	29 cm x 20 cm x 12 cm	180
7079823030	237 ML	WHITE	3	1.36	6	26 cm x 17 cm x 10 cm	242
7079874877	88.7 ML	WHITE	0.95	0.431	6	15 cm x 13 cm x 21 cm	300

DAP® Eclipse™ Rapid Wall Repair Patch

DAP's fastest, strongest & thinnest drywall repair solution.

- Paint immediately & finish in minutes
- All in one, mess free
- 2-4x stronger than drywall itself
- Permanent, long lasting



Material Code	Size	Colour	Case Weight (lb)	Case Weight (kg)	Case Pack	Case Dimensions (LxWxH)	Cases Per Pallet
7079874902	2 IN	WHITE	0.79	0.36	12	20 cm x 19 cm x 20 cm	300
7079874904	4 IN	WHITE	0.89	0.4	12	20 cm x 19 cm x 20 cm	300
7079874906	6 IN	WHITE	1.02	0.46	12	20 cm x 19 cm x 20 cm	300



DAP® Lightweight Wallboard Joint Compound (RTU)

Finishes gypsum panel joints with less work, easy sanding and lightweight handling. Saves time on the job. Interior use.



Material Code	Size	Colour	Case Weight (lb)	Case Weight (kg)	Case Pack	Case Dimensions (LxWxH)	Cases Per Pallet
7079830070	5.50 KG	GRAY	25.62	11.53	2	41 cm x 21 cm x 21 cm	75
7079830120	1.50 KG	GRAY	21.3	9.59	6	41 cm x 26 cm x 16 cm	96

DAP® All-Purpose Stucco Patch (RTU)

An easy-to-use patching compound for repairing minor cracks and breaks in stucco. It creates a hard durable patch which when painted, blends evenly with the original stucco. Textured finish. Interior/exterior use.



Material Code	Size	Colour	Case Weight (lb)	Case Weight (kg)	Case Pack	Case Dimensions (LxWxH)	Cases Per Pallet
7079860584	946 ML	WHITE	25.2	11.34	6	39 cm x 26 cm x 14 cm	96



DAP® PRESTO PATCH® Multi-Purpose Patching Compound (Dry Mix)

All-purpose, high-performance patching compound formulated to set fast and dry hard. Set time is 5-10 minutes and is ready to paint in 30 minutes. Great for all interior wall, ceiling and floor projects.

Interior use.



Material Code	Size	Colour	Case Weight (lb)	Case Weight (kg)	Case Pack	Case Dimensions (LxWxH)	Cases Per Pallet
7079880300	10 KG	WHITE	22.24	10.01	1	41 cm x 23 cm x 8 cm	96

DAP® Plaster of Paris (Dry Mix)

For general wall and ceiling repair. Sets hard in 20-30 minutes without shrinking. Has a working time of 6 to 10 minutes. It can be painted with any oil or latex-based paint when dry. Conforms to ASTM 4236. Smooth formula provides great results every time. Interior use.



Material Code	Size	Colour	Case Weight (lb)	Case Weight (kg)	Case Pack	Case Dimensions (LxWxH)	Cases Per Pallet
7079860110	1.8 KG	WHITE	25.32	11.48	6	32 cm x 22 cm x 22 cm	90
7079860120	10 KG	WHITE	22.24	10.01	1	41 cm x 23 cm x 8 cm	96



DAP® WOOD PRO-X™ Wood Repair Kit and All Purpose Wood Filler with DryDex® Dry Time Indicator

Wood-X Repair Kit contains Wood Pro-X All Purpose Wood Filler with DryDex Dry Time Indicator 226 grams, a 2" putty knife and a sanding block. High quality latex-based wood filler that goes on pink and dries natural letting you know when it's time to sand and stain. Formulated to create a surface that looks and acts like real wood. It can be used to repair cracks, gouges, holes and other surface defects on furniture, moulding, cabinets, plywood, and other wood surfaces. This easy-to-use filler can be troweled and moulded for structural repairs and dries fast and hard to a smooth finish that can be sanded, cut, planed, drilled, nailed, or screwed. It provides strong nail and screw anchoring. Cleans up easily with soap and water when wet. For interior/ exterior use.



**GOES ON PINK DRIES
NATURAL**

Material Code	Size	Colour	Case Weight (lb)	Case Weight (kg)	Case Pack	Case Dimensions (LxWxH)	Cases Per Pallet
7079874285	156 G	NATURAL	4.59	2.08	8	17 cm x 15 cm x 15 cm	312
7079874287	453 G	NATURAL	13.68	6.21	12	33 cm x 22 cm x 13 cm	144
7079870596	1 EA	NATURAL	4.8	2.18	6	42 cm x 18 cm x 21 cm	70

DAP® WELDWOOD® 2 IN 1 Wood Glue & Filler

DAP® Weldwood® 2 In 1 Wood Glue & Filler is a high quality, latex-based wood glue and gap filler that does not drip or sag and provides a strong permanent bond. This adhesive is great for dovetail projects, cabinetry, trim, and various woodworking tasks. This gap filling adhesive can be sanded, painted, or stained for a professional finished look. DAP Weldwood 2 in 1 Wood Glue & Filler can be used interior as well as exterior and cleans up easily with water.



Material Code	Size	Colour	Case Weight (lb)	Case Weight (kg)	Case Pack	Case Dimensions (LxWxH)	Cases Per Pallet
7079870484	147 mL	NATURAL	11.19	5.08	6	34 cm x 8 cm x 18 cm	200



DAP® WOOD PRO® Latex All Purpose Wood Filler (RTU)

High quality latex-based wood filler formulated to create a surface and body that looks and acts like real wood and provides a repair that is 3X stronger than competitive product. It can be used to repair cracks, gouges, holes and other surface defects on furniture, moulding, cabinets, plywood, and other wood surfaces. This easy-to-use filler can be troweled and moulded for structural repairs and dries fast and hard to a smooth finish that can be sanded, cut, planed, drilled, nailed, or screwed. It provides strong nail and screw anchoring. Cleans up easily with soap and water when wet. Interior/exterior use.



Material Code	Size	Colour	Case Weight (lb)	Case Weight (kg)	Case Pack	Case Dimensions (LxWxH)	Cases Per Pallet
7079874283	453 G	NATURAL	13.68	6.21	12	33 cm x 22 cm x 13 cm	144
7079874284	907 G	NATURAL	8.51	3.86	6	30 cm x 15 cm x 15 cm	126
7079874288	170 G	NATURAL	3.17	1.44	6	43 cm x 10 cm x 20 cm	156
7079874289	170 G	WALNUT	3.17	1.44	6	43 cm x 10 cm x 20 cm	156
7079874290	170 G	RED OAK	3.17	1.44	6	43 cm x 10 cm x 20 cm	156
7079874291	170 G	GOLDEN OAK	3.17	1.44	6	43 cm x 10 cm x 20 cm	156
7079874293	170 G	WHITE	3.17	1.44	6	43 cm x 10 cm x 20 cm	156
7079871587	170 G	BLACK	3.17	1.44	6	43 cm x 10 cm x 20 cm	156
7079874294	85 G	NATURAL	1.87	0.85	6	37 cm x 10 cm x 17 cm	180

DAP® PREMIUM WOOD FILLER with Colour Blend Technology

DAP® PREMIUM WOOD FILLER with Colour Blend Technology is a custom 3-in-1 filler & sealer; wood filler, grain filler and sealer coat. A unique water-based wood filler that allows you to more accurately match existing wood tones to create a repair that is seamless and invisible. Premium Wood Filler accepts all types of stains, tints and finishes in the wet state for an exact match or to add a touch of color to your project. Accepts all types of topcoats and finishes once dry ensuring a flawless finish. Premium Wood Filler can be used as a wood putty, edge filler or crack filler or can be thinned out with water and used as a grain filler to fill natural wood pores to achieve a smooth, tabletop finish. Won't sink, shrink, crack or fall out and is tough enough to handle screwing, planing, cutting, drilling, sawing and routing. Easy to use, easy water clean-up and dries fast allowing you to finish your wood repair or project faster. Interior/Exterior.



Case Code	Size	Colour	Case Weight (lb)	Case Weight (kg)	Case Pack	Case Dimensions (LxWxH)	Cases Per Pallet
7079874889	473 ML	WHITE	8.92	4.05	4	20 cm x 20 cm x 12 cm	270



DAP® '33'® Window Glazing (RTU)

Ready-to-use, paintable window glazing for use on wood, metal and aluminum sashes. Forms an airtight, watertight seal. Resists sagging, cracking and shrinking. Excellent weather resistance. Knife-grade. Interior/exterior use.



Material Code	Size	Colour	Case Weight (lb)	Case Weight (kg)	Case Pack	Case Dimensions (LxWxH)	Cases Per Pallet
7079871151	237 ML	WHITE	14.98	6.79	12	34 cm x 25 cm x 10 cm	154
7079871112	946 ML	WHITE	29.1	13.20	6	38 cm x 25 cm x 13 cm	96
7079871090	3.78 L	WHITE	38.42	17.43	2	41 cm x 20 cm x 21 cm	75

DAP® Latex Window Glazing (RTU)

Smooth, easy-working compound for glazing wood, metal and aluminum sashes. Resists cracking, sagging and chalking. Gun grade. Interior/exterior use.




Material Code	Size	Colour	Case Weight (lb)	Case Weight (kg)	Case Pack	Case Dimensions (LxWxH)	Cases Per Pallet
7079870980	300 ML	WHITE	16	7.26	12	20 cm x 15 cm x 30 cm	108



DAP® Concrete Floor Leveler (Dry Mix)

General purpose, concrete-based floor levelling product for concrete and masonry surfaces. Ideal for patios, sidewalks, garages, and preparing surfaces for vinyl sheet good installation. For use with DAP® Bonding Liquid & Floor Leveler Additive. Interior/exterior use.



Material Code	Size	Colour	Case Weight (lb)	Case Weight (kg)	Case Pack	Case Dimensions (LxWxH)	Cases Per Pallet
7079880100	10 KG	LT GRAY	22.18	9.98	1	41 cm x 23 cm x 8 cm	96

DAP® Bonding Liquid & Floor Leveler Additive

Versatile product that can be used as an additive to increase adhesion and flexibility in plaster, mortar, concrete, floor leveler, stucco and weatherproof cement paint. Interior/exterior use.



Material Code	Size	Colour	Case Weight (lb)	Case Weight (kg)	Case Pack	Case Dimensions (LxWxH)	Cases Per Pallet
7079874040	946 ML	WHITE	15	6.75	6	28 cm x 20 cm x 27 cm	84



DAP® Flexible Floor Patch and Leveler (RTU)

Ready-to-use, latex-based product used to fill cracks, fastener or knot holes and level low areas in plywood subfloors or concrete surfaces. The floor patch and leveler will remain flexible, allowing the plywood subfloor to flex without cracking the filled-in areas. Ideal for filling and levelling surfaces prior to the installation of carpeting, vinyl floor tile or sheeting, as well as ceramic or mosaic floor tile. Interior/exterior use.



Material Code	Size	Colour	Case Weight (lb)	Case Weight (kg)	Case Pack	Case Dimensions (LxWxH)	Cases Per Pallet
7079880251	3.80 L	LT GRAY	28	12.60	2	41 cm x 21 cm x 21 cm	75

DAP® Ready-Mixed Concrete Patch (RTU)

A high-strength patching compound for repairing cracks or breaks in concrete and mortar joints. It can also be used to patch and spot level interior or exterior concrete and masonry surfaces. It dries to a durable hard finish. Provides a non-shrinking patch. Easy water clean-up.



Material Code	Size	Colour	Case Weight (lb)	Case Weight (kg)	Case Pack	Case Dimensions (LxWxH)	Cases Per Pallet
7079817100	946 ML	LT GRAY	25.05	11.27	6	39 cm x 26 cm x 14 cm	96
7079817150	3.80 L	LT GRAY	33.02	14.86	2	41 cm x 21 cm x 21 cm	75



DAP® QUICK PLUG® Hydraulic & Anchoring Cement (Dry Mix)

A versatile, high-performance patching compound formulated to stop running water through deep cracks, holes and imperfections in concrete and masonry surfaces. It creates a watertight seal in 3-5 minutes, even while water is flowing. It works both above and below ground level. Also great as fast-setting anchoring cement to permanently anchor fence and railing posts, bolts, machinery and fixtures into concrete and masonry surfaces. Interior/exterior use.



Material Code	Size	Colour	Case Weight (lb)	Case Weight (kg)	Case Pack	Case Dimensions (LxWxH)	Cases Per Pallet
7079810060	1.25 KG	GREY	1-7.3	7.79	6	32 cm x 19 cm x 11 cm	180
7079810070	5 KG	GREY	23.6	10.62	2	41 cm x 21 cm x 21 cm	75
7079810080	10 KG	GREY	22.18	9.98	1	41 cm x 23 cm x 8 cm	96

DAP® Concrete Crack Filler

DAP Concrete Crack Filler is a one-of-a-kind, water activated dry powder that creates a seamless repair in one-pass. Ready-to-use; no shaking or mixing required. Once applied & dampened it hardens to permanently fill & repair cracks. Resists UV fading, cracking & shrinking. The low dust, easy to pour formula effectively fills horizontal cracks for a fast & easy repair. To use, prep surface, fill crack, level & mist. Use as is. DO NOT mix with other products. Interior/Exterior use.



Material Code	Size	Colour	Case Weight (lb)	Case Weight (kg)	Case Pack	Case Dimensions (LxWxH)	Cases Per Pallet
7079870500	737 G	GRAY	9.76	4.43	6	21 cm x 16 cm x 20 cm	192



DAP® Anchoring Adhesive

DAP® Anchoring Adhesive is a low odor, styrene free, 2-component adhesive with a cure time indicator. It applies blue & cures gray once fully cured. There is an extended working time of 15 minutes in room temperatures (10°C to 20°C). Ideal for common residential anchoring projects such as setting bolts & threaded rods to install railings, racks & more. It can be used with a standard caulk gun for easy use for vertical and horizontal applications. Interior/Exterior use.



Material Code	Size	Colour	Case Weight (lb)	Case Weight (kg)	Case Pack	Case Dimensions (LxWxH)	Cases Per Pallet
7079872810	300 ML	GREY	8.25	3.74	6	16 cm x 15 cm x 27 cm	144

DAP® All Purpose Adhesive & Filler

DAP All-Purpose Adhesive & Filler is a 3-in-1 technology that allows you to bond, build & repair most porous and non-porous surfaces. This two-component epoxy is easy to use and non-sag, making it suitable for horizontal, vertical and overhead repairs. It has an extended working time of 20 minutes providing excellent shaping and molding abilities to re-create broken areas. It can be applied on wet or damp surfaces, as well as adhere underwater. It is tack-free in 3 hours. Complies with ASTM C 881 Type I, II, III, IV, Class C, Grade 3. Interior/Exterior use.



Material Code	Size	Colour	Case Weight (lb)	Case Weight (kg)	Case Pack	Case Dimensions (LxWxH)	Cases Per Pallet
7079878000	254 ML	GRAY	8.25	3.74	6	17 cm x 11 cm x 27 cm	180



DAP® 2in1 Wall & Ceiling Spray Texture (Water Based)

2in1 Wall & Ceiling Spray Texture is an innovative technology system that allows you to tackle wall, ceiling & hard to reach areas with just one can. The Aim Tech adjustable nozzle can be easily rotated upwards to spray at almost any angle achieving maximum coverage. Its ergonomic system provides professional hopper results and ultimate spray control. The aerosol can is extremely easy to use, offers a wide fan for even coverage without excessive dripping or clogging. Proven to create a seamless blend with existing textured surfaces by adjusting the texture size to your desired finish. Fast dry time of 30 minutes. Superior paintability; no priming needed and won't soften or drag. Interior/Exterior.

Available in 3 finishes:

- a) Orange Peel - 70005
- b) Knockdown - 70010
- c) Popcorn - 70025



Material Code	Size	Colour	Case Weight (lb)	Case Weight (kg)	Case Pack	Case Dimensions (LxWxH)	Cases Per Pallet
7079870005	709 G	WHITE	12.50	5.67	6	23 cm x 15 cm x 34 cm	90
7079870010	709 G	WHITE	12.50	5.67	6	23 cm x 15 cm x 34 cm	90
7079870025	567 G	WHITE	12.20	5.53	6	23 cm x 15 cm x 34 cm	90



DAP® CONSTRUCTION ADHESIVE Heavy Duty Max Strength

Premium hybrid adhesive that delivers up to 5 times faster bond strength, than competitive polyurethane based heavy duty adhesives, for heavier applications where bond strength and speed are critical. This easy to gun moisture curing adhesive can be applied in a wide range of temperatures for heavier interior or exterior jobs. Offering tenacious adhesion to porous & non-porous building materials where traditional adhesives struggle such as, wet surfaces, PVC, glass, marble, and metal, this is a versatile high-performance adhesive for tackling the toughest jobs.



WET
SURFACES



EASY
TO GUN



ALL
MATERIALS*



Material Code	Size	Colour	Case Weight (lb)	Case Weight (kg)	Case Pack	Case Dimensions (LxWxH)	Cases Per Pallet
7079874880	266 ML	WHITE	13.6	6.17	12	20 cm x 20 cm x 12 cm	108
7079877512	828 ML	WHITE	42	19.1	12	27 cm x 20 cm x 43 cm	60

DAP® CONSTRUCTION ADHESIVE Subfloor

Premium grade construction adhesive specifically formulated for subfloor & deck installation. This VOC compliant adhesive prevents floor squeaks and improves the structural performance of floor assembly when used properly. DAP® Construction Adhesive SUBFLOOR is an easy to gun adhesive that delivers a strong durable bond.



EASY TO GUN IN
COLD TEMP



BONDS WET, FROZEN
& TREATED LUMBER



HIGH STRENGTH
WEATHERPROOF
BOND



Material Code	Size	Colour	Case Weight (lb)	Case Weight (kg)	Case Pack	Case Dimensions (LxWxH)	Cases Per Pallet
7079874981	305 ML	TAN	11	4.99	12	29 cm x 14 cm x 20 cm	108



DAP® CONSTRUCTION ADHESIVE 4000 Subfloor

DAP® CONSTRUCTION ADHESIVE 4000 Subfloor is a premium grade construction adhesive specifically formulated for subfloor & deck installation. This easy to gun solvent based adhesive prevents floor squeaks and improves the structural performance of floor assembly when used properly. 4000 Subfloor adhesive delivers a high strength weatherproof bond on wet, frozen & treated lumber.



EASY TO GUN IN
COLD TEMP



BONDS WET, FROZEN
& TREATED LUMBER



HIGH STRENGTH
WEATHERPROOF
BOND



Material Code	Size	Colour	Case Weight (lb)	Case Weight (kg)	Case Pack	Case Dimensions (LxWxH)	Cases Per Pallet
7079874882	828 ML	TAN	27.65	12.55	12	27 cm x 20 cm x 43 cm	60

DAP® CONSTRUCTION ADHESIVE Drywall

Specifically formulated for drywall installation. This VOC compliant, instant grab adhesive prevents nail pops and helps limit air and sound movement between walls. CONSTRUCTION ADHESIVE Drywall is an easy to gun adhesive that delivers a strong permanent bond.



STRONG
PERMANENT BOND



EASY TO GUN



COLD WEATHER
PERFORMANCE



Material Code	Size	Colour	Case Weight (lb)	Case Weight (kg)	Case Pack	Case Dimensions (LxWxH)	Cases Per Pallet
7079874884	828 ML	GREY	32.29	14.66	12	27 cm x 23 cm x 22 cm	60



DAP® CONSTRUCTION ADHESIVE Multi Purpose

Designed to bond common building materials. This easy to apply formula meets ASTM C557 and provides a weather resistant bond once fully cured.



Material Code	Size	Colour	Case Weight (lb)	Case Weight (kg)	Case Pack	Case Dimensions (LxWxH)	Cases Per Pallet
7079874883	266 ML	WHITE	12.52	5.68	12	20 cm x 22 cm x 42 cm	108



DAPtex® PLUS Multi-Purpose Latex Insulating Foam Sealant

Latex-based formula that seals out drafts, eliminates energy loss and prevents pest infiltration.

- Seals, insulates, weatherproofs
- Improved durability, flexibility and water resistance
- Safe for all windows & doors
- Easy water clean-up



Material Code	Size	Colour	Case Weight (lb)	Case Weight (kg)	Case Pack	Case Dimensions (LxWxH)	Cases Per Pallet
7079871062	340 G	WHITE	13.14	5.96	12	28 cm x 23 cm x 24 cm	90

Straw Foams

Insulating Foam Sealant

Foam



DAP® Touch 'n Foam® HomeSeal™ Minimum Expanding Foam Sealant

Fills and seals smaller gaps and openings.

Exclusive All-Seasons cure 30°–120°F (-1°–49°C)

- Water resistant
- Interior/exterior use
- Meets ASTM E84, Class A Fire Rated
- Off-white colour



Material Code	Size	Colour	Case Weight (lb)	Case Weight (kg)	Case Pack	Case Dimensions (LxWxH)	Cases Per Pallet
7565000129	12 OZ	CREAM	12.87	5.79	12	30 cm x 23 cm x 24 cm	108
7565000130	12 OZ	CREAM	6.44	2.90	6	23 cm x 16 cm x 21 cm	216
7565000137	20 OZ	CREAM	20.23	9.10	12	30 cm x 22 cm x 32 cm	72
7565062416	16 OZ	CREAM	16.45	7.40	12	30 cm x 23 cm x 28 cm	90

DAP® Touch 'n Foam® No Warp® Window & Door Foam Sealant

Low pressure formula won't bow window frames or door jambs.

- Meets AAMA standards and 812-04
- Meets ASTM E84; Class A Fire Rated
- Bright white colour



Material Code	Size	Colour	Case Weight (lb)	Case Weight (kg)	Case Pack	Case Dimensions (LxWxH) Per Pallet	Cases
7565044010	12 OZ	WHITE	12.87	5.79	12	30 cm x 23 cm x 24 cm	108
7565044011	12 OZ	WHITE	6.44	2.90	6	23 cm x 16 cm x 21 cm	216
7565064416	16 OZ	WHITE	16.45	7.40	12	30 cm x 23 cm x 28 cm	90



DAP® Touch ‘n Foam® MaxFill™ Triple Expanding Foam Sealant

Three times the expansion rate to fill gaps greater than 1 inch.

- Weather resistant bond seals out drafts
- Blocks insects and other pests
- Meets ASTM E84; Class A Fire Rated
- Interior/exterior use
- UL-Listed
- Off-white colour



Material Code	Size	Colour	Case Weight (lb)	Case Weight (kg)	Case Pack	Case Dimensions (LxWxH)	Cases Per Pallet
7565000126	12 OZ	CREAM	6.44	2.90	6	23 cm x 16 cm x 21 cm	216
7565000127	12 OZ	CREAM	12.87	5.79	12	30 cm x 23 cm x 24 cm	108
7565060316	16 OZ	CREAM	16.45	7.40	12	30 cm x 23 cm x 28 cm	90
7565000128	20 OZ	CREAM	20.13	9.06	12	30 cm x 22 cm x 32 cm	72

Straw Foams

Insulating Foam Sealant

Foam



DAP® Touch 'n Foam® FireBreak® Flame Resistant Foam Sealant

The only approved fire block to pass the UL 94 V-0 burn test.

- Meets ASTM E814 and UL 1715
- Type V residential fire block
- Flame spread 5, smoke developed 0
- Meets ASTM E84/UL 723; Class A Fire Rated
- Easy-to-identify orange colour



Material Code	Size	Colour	Case Weight (lb)	Case Weight (kg)	Case Pack	Case Dimensions (LxWxH)	Cases Per Pallet
7565040016	16 OZ	ORANGE	16.45	7.40	12	30 cm x 23 cm x 28 cm	90

DAP® Touch 'n Foam® Landscape Exterior Filler Adhesive

Black, UV-resistant foam that's safe for plant and water life.

- Directs flow in and around water gardens
- Superior adhesive for landscaping projects
- Fills knotholes in trees to seal out pests
- Carbon black colour



Material Code	Size	Colour	Case Weight	Case Weight (lb)	Case Pack	Case Dimensions (LxWxH)	Cases Per Pallet
7565040016	16 OZ	BLACK	16.45	7.40	12	30 cm x 23 cm x 28 cm	90



DAP® Touch ‘n Foam® Professional Low Temp Sealant

One-component polyurethane foam sealant that fills, expands and insulates in extreme temperatures as low as 20°F/-7°C without cracking or hardening.

- Air and water tight seal for gaps, cracks, holes and joints
- Apply in wide temperatures - 20°F - 120°F
- Class 1 fire rated
- Use with gun applicator



Material Code	Size	Colour	Case Weight (lb)	Case Weight (kg)	Case Pack	Case Dimensions (LxWxH)	Cases Per Pallet
7565002440	24.00 OZ	OFF WHT	23.37	10.52	12	29cm x 22cm x 30cm	72



DAP® Touch 'n Foam® Professional All-Purpose Gun Foam Sealant

Versatile, Type V residential fire block sealant with greater control for large and small gaps.

- Meets ASTM E814, E84, and UL 1715
- Class A Fire-Rated
- Exterior/interior use
- Bright orange foam for inspections



Material Code	Size	Colour	Case Weight (lb)	Case Weight (kg)	Case Pack	Case Dimensions (LxWxH)	Cases Per Pallet
7565028730	24.00 OZ	CREAM	23.37	10.52	12	29cm x 22cm x 30cm	72

DAP® Touch 'n Foam® Professional Window & Door Gun Foam Sealant

Bright white, low pressure sealant that exerts virtually no force on window frames and door jambs. Outperforms fibreglass.

- Meets AAMA standards and 812-04
- Meets ASTM E84; Class A Fire-Rated
- Class A Fire-Rated
- Bright white colour



Material Code	Size	Colour	Case Weight (lb)	Case Weight (kg)	Case Pack	Case Dimensions (LxWxH)	Cases Per Pallet
7565029700	20.00 OZ	WHITE	20.84	9.38	12	29cm x 22cm x 30cm	72



DAP® Wall & Cavity Foam

DAP® Wall & Cavity Foam with Widespray Applicator is a portable, self-contained one-component polyurethane foam dispensing kit. Effectively air seal homes and buildings while providing Class A fire resistance. The patent-pending technology offers broadcast spray solution similar to two-component systems, but in a less complicated, easier to use one-component solution that can be applied in a wide temperature range 5°C – 49°C. Great for repairs, renovations and new installations. Use the Wall and Cavity spray foam canister to fill and seal interior areas like stud wall cavities, rim joists and basements. Also works for attic insulation and crawlspaces. Not to be used for direct overhead spraying applications.



Material Code	Size	Colour	Case Weight (lb)	Case Weight (kg)	Case Pack	Case Dimensions (LxWxH)	Cases Per Pallet
7565070370	567 G	OFF-WHITE	14.10	6.40	6	23 cm x 17 cm x 28 cm	150
7565070351	4.8 KG	CREAM	17.06	7.74	1	25 cm x 20 cm x 38 cm	65

Canister Foams

Insulating Foam Sealant

Foam



DAP® Touch 'n Foam® Professional System 200 Spray Foam Sealant Kit

Comes with pre-attached hoses, an ergonomic foam applicator, disposable gloves, safety glasses and detailed instructions.

- Yields up to 200 board feet (16.7 cubic feet / 0.47 cubic metre)
- Includes 10' hoses and 10 conical nozzles
- Ideal for medium sized projects, such as sealing basement sill plates/band joists



Material Code	Size	Colour	Case Weight (lb)	Case Weight (kg)	Case Pack	Case Dimensions (LxWxH)	Cases Per Pallet
7565020200	system200	CREAM	41.45	18.65	1	39cm x 26cm x 39cm	36

DAP® Touch 'n Foam® Professional System 600 Spray Foam Sealant Kit

Comes with pre-attached hoses, an ergonomic foam applicator, disposable gloves, safety glasses and detailed instructions.

- High yield - up to 600 board feet (50 cubic feet)
- Includes 15' hoses and 10 conical nozzles
- Ideal for larger projects such as air sealing stud wall cavity perimeters and crawl spaces



Material Code	Size	Colour	Case Weight (lb)	Case Weight (kg)	Case Pack	Case Dimensions (LxWxH)	Cases Per Pallet
7565060600	system600	CREAM5	114	51.30	1	32cm x 32cm x 48cm	32



DAP® Sharpshooter™ D Economical Foam Applicator

SharpShooter D is an economical spray foam applicator that provides both control and comfort. Use with DAP professional gun grade polyurethane foam sealants.

- Precise control and adjustable output
- Provides reuse
- No drip
- Economical / disposable



Material Code	Case Weight (lb)	Case Pack	Case Dimensions LxWxH	Cases per Pallet
7565070235	3.95	5	37cm x 16cm x 27cm	54

DAP® Sharpshooter™ XP Premium Non-Stick Foam Applicator

The Sharpshooter XP Premium Applicator offers a non-stick tip, barrel and basket and provides a convenient solution for insulating gaps and cracks. Use with DAP Professional gun grade polyurethane foam sealants.

- Precise control and adjustable output
- Provides reuse
- No drip



Material Code	Case Weight (lb)	Case Pack	Case Dimensions LxWxH	Cases per Pallet
7565070234	6.1	5	37cm x 16cm x 27cm	54



DAP® Sharpshooter™ XLP Premium 29" Non-Stick Foam Applicator

The SharpShooter XLP Premium 29" Applicator offers a non-stick tip, barrel and basket. It is designed to provide extended reach for special insulating and foam adhesive applications. Use with DAP Professional gun grade polyurethane foam sealants.

- Precise control and adjustable output
- Provides reuse
- No drip
- Adjustable flow control & responsive trigger
- Non-stick tip, barrel & basket for easy clean up



Material Code	Case Weight (lb)	Case Pack	Case Dimensions LxWxH	Cases per Pallet
7565070232	3.42	2	78cm x 21cm x 12cm	48

DAP® Sharpshooter™ XXLPremium 44" Foam Applicator

The Sharpshooter XXL Premium 44" Applicator offers a non-stick basket and is designed to provide extended reach for special or hard-to-reach applications. Includes a forked guide to aid in subfloor foam adhesive installations. Use with DAP Professional gun grade polyurethane foam sealants.

- Precise control and adjustable output
- Provides reuse
- No drip



Material Code	Case Weight (lb)	Case Pack	Case Dimensions LxWxH	Cases per Pallet
7565070233	4.81	2	117cm x 23cm x 12cm	32



DAP® Comfort Spray Foam Applicator

The universal 1-Component straw foam applicator that offers total comfort with a natural trigger feel

- Precise control and adjustable output
- Provides reuse




Material Code	Case Weight (lb)	Case Pack	Case Dimensions LxWxH	Cases per Pallet
7565070230	1.93	6	26cm x 19cm x 21cm	130

DAP® Sharpshooter™ Extend Gun Foam Applicator

For more precise control and comfort, the Precision Foam Dispenser provides a convenient solution for insulating gaps and cracks. Use with Touch 'n Foam Professional gun grade polyurethane foam sealants.

- Precise control and adjustable output
- Provides reuse
- No drip



Material Code	Case Weight (lb)	Case Pack	Case Dimensions LxWxH	Cases per Pallet
7565070220	7	6	39cm x 17cm x 35cm	45



DAP® Touch ‘n Seal® Poly-Clean Foam Cleaner

Cleans foam in and around gun applicators.

- Attaches to applicator to flush barrel
- Removes uncured foam from tools
- Reusable dispensing
- Zero VOC formula



Material Code	Size	Case Weight (lb)	Case Pack	Case Dimensions LxWxH	Case Volume (cu ft)	UPC Check Digit	Cases per Pallet
7565028700	12 OZ	12.99	12	11.5" x 8.5" x 9"	0.50	2	108